

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and (filter with (grad\$4 or vari\$ or vary\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/04/01 17:50
S1	607	((356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)) and calibrat\$) and (control\$4 or memory)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:26
S2	106	(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and (filter with (wheel or disk or disc) with (grad\$4 or vari\$6 or vary\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:26
S3	153	((memory or stor\$3) with (wavelength or position)) and (filter with (wheel or disk or disc) with (grad\$4 or vari\$6 or vary\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:53
S4	808	(filter with (wheel or disk or disc)) same (grad\$6 or vari\$6 or vary\$3) same (color or wavelength)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:55
S5	505	(filter with (wheel or disk or disc)) same ((grad\$6 or vari\$6 or vary\$3) with (color or wavelength))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:56
S7	236	S5 and (control\$5 or computer or microprocess\$) and (memory or stor\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:57
S8	157	S7 and motor	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/09/22 08:57
S9	5	((("3818198") or ("5515119"))).PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2002/11/25 11:38

## EAST Search History

S10	2	("5426576").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2002/11/25 14:16
S11	778	356/416	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S12	1439	356/402	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S13	655	356/418	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S14	783	356/419	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S15	1194	359/885	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S16	403	359/888	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S17	462	359/890	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S18	380	359/892	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:17
S19	4975	356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/04/01 17:44

## EAST Search History

S20	1698	(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/04/01 17:44
S21	589	((356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)) and calibrat\$	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:22
S22	98	(light and sound and design).as.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 14:49
S23	5	("4602321"   "4800474"   "4984143"   "5111343"   "5126886").PN.	USPAT	OR	ON	2002/11/25 14:38
S24	5	"5426576".URPN.	USPAT	OR	ON	2002/11/25 14:41
S25	2	("6271917").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2002/11/25 14:59
S26	2	(optic\$ with filter) and (calibrat\$ with (cut?on or (cut adj on)))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 16:42
S27	59	filter and calibrat\$ and (cut?on or (cut adj on)) and (grad\$3 or var\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/25 16:50
S28	331	(filter with (grad\$3 or var\$5)) and calibrat\$ and (cut?on or (cut adj on) or (center with wavelength))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/26 08:12
S29	331	(filter with (grad\$3 or var\$5)) and calibrat\$ and (cut?on or (cut adj on) or (center with wavelength))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/26 08:14
S30	246	((filter with (grad\$3 or var\$5)) and calibrat\$ and (cut?on or (cut adj on) or (center with wavelength))) and transmission	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/26 08:24

## EAST Search History

S31	37	((filter with (grad\$3 or var\$5)) and calibrat\$ and (cut?on or (cut adj on) or (center with wavelength))) and (transmission with curve)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2002/11/26 08:24
S32	5079	356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/04/01 17:44
S33	4	((("5,591,981") or ("5,784,152")).PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/04/01 18:05
S34	1	("3,442,572").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/04/01 18:05
S35	2	("6195200"   "6219163").PN.	USPAT	OR	ON	2003/04/01 18:20
S36	4	((((position\$3 or location) with (wavelength or color)) same (memory or stor\$3) same servo) and (filter with (wheel or disk or disc)))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2003/04/02 09:09
S37	2	("4,392,187").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/04/02 09:11
S39	624	((((356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)) and calibrat\$) and (control\$4 or memory)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 10:38
S40	83	(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and (filter with (wheel or disk or disc) with (grad\$4 or vari\$6 or vary\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 09:35
S41	2	("6642969").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/07 09:37

## EAST Search History

S42	2	("5371543").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/07 09:37
S43	10	("20010043289"   "20020093499"   "20020105729"   "4197559"   "5371543"   "5583688"   "5650832"   "6359662"   "6642969"   "6771325").PN.	US-P6PUB; USPAT; USOCR	OR	ON	2005/04/07 09:42
S44	6	("4290473"   "4963004"   "5128798"   "5148288"   "6031613"   "6459844").PN.	US-P6PUB; USPAT; USOCR	OR	ON	2005/04/07 09:55
S45	4345	(color near3 (wheel or filter)) and (color with (calibrat\$ or information or dat\$2) with (memor\$ or stor\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 10:39
S46	298	(color near3 wheel) and (color with (calibrat\$ or information or dat\$2) with (memor\$ or stor\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:39
S47	65	((color near3 wheel) with (multiple or series or plural\$)) and (color with (calibrat\$ or information or dat\$2) with (memor\$ or stor\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 10:41
S48	42	(color near3 wheel) and (color with wheel with (calibrat\$ or information or dat\$2) with (memor\$ or stor\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 10:58
S49	26	(color near3 wheel) and (color with (position\$3 or angl\$3 or angl\$3) with (calibrat\$ or information or dat\$2) with (memor\$ or stor\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:07
S50	86	(color near3 wheel) and (color with (position\$3 or angl\$3 or angl\$3) with (memor\$ or stor\$4 or sav\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:18
S51	935	(color near3 filter) and (color with (position\$3 or angl\$3 or angl\$3) with (memor\$ or stor\$4 or sav\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:18
S52	1904	((color or filter) near3 (wheel or disk or disc)) and (color with (memor\$ or stor\$4 or sav\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:40

## EAST Search History

S53	27	((color or filter) near3 (wheel or disk or disc)) with calibrat\$) and (color with (memor\$ or stor\$4 or sav\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:57
S54	383	((color or filter) near3 (wheel or disk or disc)) and ((color or wavelength) with (memor\$ or stor\$4 or sav\$4)) and (visible near4 light)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 11:59
S55	220	((color or filter) near3 (wheel or disk or disc or optic\$4)) and ((color or wavelength) with (memor\$ or stor\$4 or sav\$4)) and (visible near4 light) and ((position\$3 or angl\$ or angl\$) with table)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 12:39
S56	704	((grad\$3 or linear\$ or variabl\$) with interfer\$ with (filter or wedge or element)) and ((position\$ or angl\$ or angl\$ or rotat\$4) with (wavelength or color))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 12:42
S57	97	((grad\$3 or linear\$ or variabl\$) with interfer\$ with (filter or wedge or element)) and (((position\$ or angl\$ or angl\$ or rotat\$4) with (wavelength or color)) same (stor\$4 or memor\$ or sav\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 13:24
S58	5	((("3818198") or ("5515119"))).PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/07 13:24
S59	2	("20040061942").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/19 14:01
S60	3532	356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 14:54
S61	83	(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and (filter with (wheel or disk or disc) with (grad\$4 or vari\$6 or vary\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 14:54
S62	653	((356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)) and calibrat\$) and (control\$4 or memory)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 14:54
S63	10	("20010043289"   "20020093499"   "20020105729"   "4197559"   "5371543"   "5583688"   "5650832"   "6359662"   "6642969"   "6771325").PN.	US-P6PUB; USPAT; USOCR	OR	ON	2005/10/19 15:01

## EAST Search History

S64	32	S60 and (((color or filter\$4) near5 wheel) same calibrat\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 16:53
S65	43	S60 and ((color\$3 or filter\$4) near5 wheel) and ((stor\$4 or memor\$3 or sav\$4) with calibrat\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 17:52
S66	254	((optic\$4 or color\$3 or filter\$4) near3 wheel) and ((stor\$4 or memor\$3 or sav\$4) with calibrat\$) and (motor or servo)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/19 20:05
S67	2	("5.426,276").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/19 18:37
S68	2	("6188933").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/19 18:37
S69	182	((optic\$4 or color\$3 or filter\$4) near3 wheel) and (((stor\$4 or memor\$3 or sav\$4) with calibrat\$) same (locat\$ or position\$ or ang\$4 or rotat\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 10:51
S70	2593	((((optic\$4 or color\$3 or filter\$4) near3 wheel) same (locat\$ or position\$ or ang\$4 or rotat\$)) and (color\$3 with (light\$4 or illuminat\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 10:52
S71	740	S70 and ((calibrat\$ or adjust\$) with (color\$3 or wavelength))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 10:55
S72	301	S71 and mix\$4	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 10:56
S73	24	S72 and motor and servo and (circuit\$ or electronic\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 10:57

## EAST Search History

S74	24	S72 and motor and servo and (circuit\$ or electronic\$ or control\$5)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/20 11:05
S75	2	("5282121").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/20 11:05
S76	3746	356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 13:28
S77	32	S76 and (((color or filter\$4) near5 wheel) same calibrat\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 13:28
S78	44	S76 and ((color\$3 or filter\$4) near5 wheel) and ((stor\$4 or memor\$3 or sav\$4) with calibrat\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 13:28
S79	86	(356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and (filter with (wheel or disk or disc) with (grad\$4 or vari\$6 or vary\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 13:29
S80	688	((356/416 or 356/402 or 356/418 or 356/419 or 359/885 or 359/888 or 359/890 or 359/892) and filter and (grad\$3 or var\$4)) and calibrat\$) and (control\$4 or memory)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 13:29
S81	105	S76 and ((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) and ((stor\$4 or memor\$3) same calibrat\$)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 16:13
S82	511	S76 and ((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 16:16
S83	118	S76 and (((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 18:31



## EAST Search History

S84	2	("4800474").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 17:31
S85	1	S76 and (((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) with (position\$3 or angl\$3 or angul\$3) with wavelength)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 18:57
S86	12	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) with (position\$3 or angl\$3 or angul\$3) with wavelength)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 18:49
S87	31	S76 and (((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5) same (plural\$3 or multiple\$2))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 18:58
S88	183	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((separate\$2 or independen\$) with (stor\$4 or memor\$3))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 19:59
S89	0	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) and motor\$2 and servo\$2 and calibrat\$).clm.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:01
S90	3	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) and calibrat\$).clm.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:02
S91	12	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2)) and (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) and calibrat\$).clm.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:03
S92	23	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) and (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) and motor\$3 and calibrat\$).clm.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:05

## EAST Search History

S93	375	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and (stor\$4 or memor\$3) and motor\$3 and calibrat\$ and servo\$2	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:08
S94	527	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5)) and ((stor\$4 or memor\$3) with (calibrat\$ or wavelength\$2 or position\$3)) and servo\$2 and motor\$3	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/17 20:11
S95	194	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) same (grad\$3 or gradien\$2 or vary\$3 or varia\$5) same (plural\$3 or multipl\$2)) and ((stor\$4 or memor\$3) with (calibrat\$ or wavelength\$2 or position\$3)) and servo\$2 and motor\$3 and (control\$4 or electronic\$4)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 10:18
S96	320	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) same (plural\$3 or multipl\$2)) and ((stor\$4 or memor\$3) with (calibrat\$ or wavelength\$2 or position\$3 or angl\$3 or angul\$3)) and servo\$2 and motor\$3 and (control\$4 or electronic\$4) and ((grad\$3 or gradien\$2 or vary\$3 or varia\$5) with filter\$4)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 11:58
S97	168	(((color\$3 or filter\$4) near3 (wheel or disc\$2 or disk\$2 or filter\$4)) same (plural\$3 or multipl\$2) same differen\$3) and ((stor\$4 or memor\$3) with (calibrat\$ or wavelength\$2 or position\$3 or angl\$3 or angul\$3)) and servo\$2 and motor\$3 and (control\$4 or electronic\$4) and ((grad\$3 or gradien\$2 or vary\$3 or varia\$5) with filter\$4)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/18 12:31